Phone: (209) 962-7161 Fax: (209) 962-6286

Groveland, California, 95321 18966 Ferretti Road P.O. Box 350

We are here to help you. For more information, please contact us.





Water Conservation

You can do your part in reducing water consumption and save yourself money in the process by becoming conscious of the amount of water your household is using and by looking for ways to use less whenever you can. Here are a rew tips:

Board meetings held on the second and fourth Thursday of each month, beginning at 10:00 a.m. in the Groveland Community Services District's boardroom, at 18966 Ferretti Road, Groveland, California. GCSD's Board meetings are an excellent way to learn

You are invited to attend our regularly scheduled

Community Participation

- Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So get a run for your money and load it to capacity.
- Turn off the tap when brushing your teeth

Web site www.gcsd.org.

about water and wastewater issues that directly affect you and everyone in the Groveland, Big Oak Flat, and Pine Mountain Lake areas. Your participation is appreciated. Current information is available on our

- Check every faucet in your home for leaks. slow drip can waste 15 to 20 gallons a day. you can save almost 6,000 gallons per year. . Just a . Fix it and
- Check your toilets for leaks by putting a few drops of food coloring in the tank. Watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from an invisible toilet leak. Fix it and you could save more than 30,000 gallons a year
- Use your water meter to detect hidden leaks. Simp turn off all taps and water using appliances. Then check the meter after 15 minutes. If it moved, you have a leak. Simply







plant or AWS, and is capable of producing up to 700 gallons per minute. During the tunnel outage, GCSD water treatment plant customers with a clean and safe alternative The Pall trailer (shown below) is known as the Alternative Water Supply treatment operators worked expertly to provide our

Mountain Tunnel was shut down for approximately 32 days by the SFPUC for inspection trict's water storage capacity at its main water treatment plants and distribution tanks. water through the micro-filtration system in the District was able to compensate for the loss of its main supply by pumping water from Pine Mountain Lake and filtering the However, due to the purchase of the Pall Aria Mobile water treatment plant in 2008, The timeframe of this During January and February of 2010 the planned tunnel outage exceeded the Disand improvements. the Pall trailer.

Where Your Water Comes From

the San Francisco Public Utilities Commission's (SFPUC) Hetch Hetchy Reservoir supply southeast of town, known as the Mountain Tunnel. The water originates in Yosemite National shed in the High Sierra. With controlled human GCSD obtains the majority of its water from Park as snow melt from a large pristine watercontact and granite-type geology, the mineral

by pumping from a deep conveyance tunnel

The state requires us to monitor for certain substances less than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included in this report.

Definitions

Action Level (Regulatory Action Level): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

technologically feasible. Secondary MCLs (SMCLs) are protect the odor, taste and appearance of drinking water MCL (Maximum Contaminant Level): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs (SMCLs) are set to

contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. EPA. MCLG (Maximum Contaminant Level Goal): The level of a

MRDL (Maximimum Residual Disinfectant Level): The level of a disinfectant added for water treatment that may not be exceeded at the consumer's tap.

there is no known or expected risk to health. MRDLGs are by the U.S. EPA. $\,$ MRDLG (Maximum Residual Disinfectant Level Goal): The level of a disinfectant added for water treatment below which

by laboratory analysis ND (Not Detected): Indicates that the substance was not found

NS: No standard

NTU (Nephelometric Turbidity Units): Measurement of the clarity, or turbidity, of water. Turbidity in excess of 5 NTU is just noticeable to the average person

PDWS (Primary Drinking Water Standard): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements

PHG (Public Health Goal): The level of a contaminant in drinking water below which there is no known or expected risk to which there is no known on e set by the California EPA

ppm (parts per million): One part of substance water (or milligrams per liter). ppb (parts per billion) One part of substance water (or micrograms per liter). per billion parts per million parts

Sampling Results

The District routinely monitors for contaminants in your drinking water in accordance with federal and state laws. The results contained in this report are for the monitoring period of January 1, 2010, through December 31, 2010.

ing, excluding contaminants that were not detected, or that were detected at a level below the state's detection level for the purposes of reporting (DLR). This information has been compiled in the tables on the back of this pamphlet to show what these contaminants were. This report contains results from laboratory test-



Because of the high quality of our source water,

content of this water is lower than most bottled

water, and the bacterial counts approach zero.

the District obtained a Filtration Avoidance permit (no filtration process required) on April 22,

Cryptosporidium and Giardia, that may be pre-

sent in its surface water supply.

disinfection-by-chloramination and ultraviolet

disinfection to kill any pathogens, including

and during 2007 and 2008 began using

1998.

should an emergency situation occur, the AWS treatment plant is capable of providing a safe drinking water supply to all of The tunnel outage demonstrated that GCSD's customers.



2010 WATER QUALITY DATA

Groveland Community Services District, Groveland, California

PRIMARY DRINKING WATER STANDARDS

Este informe contiene informacion muy importante sobre su agua potable. Traduzcalo o hable con alguien que lo entienda bien

PRIMARY DRINKING WATER STANDARDS Este informe contiene informacion muy importante sobre su agua potable. Traduzcalo o hable con alguien que lo entienda bien.							
		PHG					
Substance or Parameter	Unit	MCL/MRDL	(MCLG)	Range	Average	Typical Sources in Drinking Water	
CLARITY	_		•				
Turbidity—Raw Source Water	NTU	5	NS	0.01—1.48	0.37	Primarily related to soil runoff (erosion) which is made up of suspended matter that interferes with light	
Turbidity—Finished Water	NTU	5	NS	0.03—1.04	0.39	Primarily related to soil runoff (erosion) which is made up of suspended matter that interferes with light	
MICROBIOLOGICAL				,			
Total Coliform —Raw Water	#	(a)	0	<2—13	2.1	Naturally present in the environment from decomposition of organic matter; may be an indication of fecal waste	
Fecal Coliform—Raw Water	#	(b)	0	<2—2	<2	Related to human and animal waste	
DISINFECTION BY PRODUCTS AND DIS	INFECTANT I	RESIDUALS					
Total Trihalomethanes (TTHMs)	ppb	80	NS	12.1—21.0*	16.1	Byproducts of drinking water disinfection using chlorine; upgrades to the treatment process have reduced TTHMs to below MCL's	
Total Haloacetic Acids (HAAs)	ppb	60	NS	4.2—40.1*	31.5	Byproducts of drinking water disinfection using chlorine; upgrades to the treatment process have reduced HAAs to below MCL's	
Chlorine (Raw Water) ◀	ppm	4.0 (as Cl2)	4.0	1.52—3.96	2.67	Drinking water disinfectant added for treatment	
Chloramines (Distribution system)♣	ppm	4.0 (as Cl2)	4.0	0.40—1.81	1.06	Drinking water disinfectant added for treatment	
INORGANIC CHEMICALS				90th Percentile			
Copper [♥] (September 2009)	ppm	1.3	0.17	ND	ND	Internal corrosion of household plumbing systems, erosion of natural rock/soil deposits, and leaching from wood preservatives	
Lead [♥] (September 2009)	ppb	15	2	ND	0.50	Internal corrosion of household plumbing systems, erosion of natural rock/soil deposits, and discharges from industrial manufacturers	
SECONDARY DRINKING WATER STANI	OARD						
Substance or Parameter						Typical Sources in Drinking Water	
Color	unit	15	NS	No Range	12	From naturally occurring organic materials such as leaves, pine needles, and wood	
Odor	TON	3	NS	No Range	0	From naturally occurring organic materials	
Specific Conductance	μS/cm	NS	NS	15—83	44	From naturally occurring dissolved solids that form ions in water, an indication of the dissolved mineral content of water	

Sulfate OTHER

OTHER							
Substance or Parameter				Typical Sources in Drinking Water			
Alkalinity (as CaCO ₃)	mg/L	NS	NS	3—22	12	From natural sources and dissolved minerals	
Hardness (as CaCO ₃)	mg/L	NS	NS	0—23	10.7	From naturally occurring dissolved substances (Ca ²⁺ , Mg ²⁺ , Sr ²⁺ , Fe ²⁺ , Mn ²⁺) that come in contact with water	
Sodium	mg/L	NS	NS	1.3—3.8	2.2	From naturally occurring and dissolved minerals	
Calcium	mg/L	NS	NS	1.3—6.4	3.8	From naturally occurring and dissolved minerals	
Potassium	mg/L	NS	NS	0-2.3	0.8	From naturally occurring and dissolved minerals	
pН	unit	NS	NS	5.9—6.6	6.3	Affected by alkaline sources, atmospheric CO ₂ , organic matter, and acidity from mineral sources—distilled water has 7.0 pH	
Aluminum	ppm	1	0.6	0-0.40	0.13	From the erosion of natural deposits, residue from some surface water treatment systems	

The tables above list all of the drinking water substances and parameters that were detected in 2010, except for lead and copper. Lead and copper was sampled in September 2009.

1.000

205

MCLs for Total and Fecal Coliforn

Total Dissolved Solids (TDS)

(a) - For 40 samples/month: No more than 5.0% of monthly samples may be positive; for <40 samples/month; no more than 1 positive sample

mg/L

mg/L

(b) - A routine sample and repeat samples are total coliform positive, and one of these is also fecal coliform or E. Coli positive

Results for total and fecal coliform are for raw water sources; they do not represent the drinking water concentrations of these substances

Water Hardness Classification (Note: GCSD's water is soft)

From runoff and leaching from natural deposits (soil and rocks)

From runoff and leaching from natural deposits (soil and rocks)

0-75 mg/L = Soft

75—150 mg/L = Moderately hard

150—300 mg/L = Hard

>300 mg/L = Very hard

24—52

2.17—5.30

28.7

3.8

NS

NS

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791). Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advise about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium or other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791); in addition more information about contaminants and potential health effects can be obtained by calling the same. For information specifically related to the GCSD please call Aaron Randi at 1-209-962-7161.

^{*} Results for TTHM and HAA samples are averaged over four quarters. Results indicate levels well below the MCL for 2010. Some people who use water containing TTHMs in excess of the MCL over many years may have an increased risk of getting cancer. Some people who drink water containing HAAs in excess of the MCL over many years may have an increased risk of getting cancer.

Some people who use water containing chlorine well in excess of the MRDL could experience irritating effects to their eyes and nose. Some people who drink water containing chlorine in excess of the MRDL could experience stomach discomfort.

Some people who use water containing chloramines well in excess of the MRDL could experience irritating effects to their eyes and nose. Some people who drink water containing chloramines well in excess of the MRDL could experience stomach discomfort or anemia.

^{*20} samples were collected by the GCSD during September 2009 (the minimum required). Only one of the 20 samples was positive for lead. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. GCSD is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have it tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.